


**TD3**

**[COMPA3]3**

**MICROAGGLOMERATE CORK STOPPER**



# TD3

## COMPAC 3: MICROAGGLOMERATE CORK STOPPER



### STORAGE RECOMMENDATIONS

The recommended storage time and use of the stoppers is of 6 months since the manufacturing date. Storage should be under original packaging. Avoid the cork stoppers from coming into contact with chemical products, pesticides, fungicides, chlorine-based sanitary products and treated wooden structures (in particular PCP- Pentachlorophenol's). Do not store directly on the floor. Do not expose to sunlight, even through glass. In case of any doubt or comments please do not hesitate to contact us at [trefinos@trefinos.es](mailto:trefinos@trefinos.es).

### TECHNICAL SPECIFICATIONS

CHARACTERISTICS		VALUES		SPECIFICATION	METHODOLOGY
<b>DIMENSIONAL</b>	LENGTH	Nom. value	mm	±0,5	UNE 56923
	DIAMETER	Nom. value	mm	±0,3	UNE 56923
<b>PHYSICAL</b>	DENSITY	265	Kg/m <sup>3</sup>	±15	UNE 56922
	RESIDUAL DUST	0,001	g/stopper	Max.	UNE 56923
	WATER ABSORPTION	6	% Δ weight	Max.	MI 98 IN CC
	CORK PERCENTAGE	75	%	Min.	T-IF-02
<b>MECHANICS</b>	DIMENSIONAL RECOVERY (1h)	92	%	Min.	UNE 56922
	TORQUE	44	daN.cm	Min.	MI 89 IN CC
	TORSION ANGLE	30	grade	Min.	MI 89 IN CC
	COMPRESSION FORCE	155	daN	±15	88 IN CC
	INSERTION FORCE	55	daN	±10	88 IN CC
	EXTRACTION FORCE	20	daN.cm	±4	MI 99 IN CC
	PRESSURE(20°C)	7	Bar	Max.	MI 96 IN CC
	<b>CHEMICAL</b>	RESIDUAL PEROXIDE	0,2	mg/stopper	Max.
<b>MICROBIOLOGIC</b>	BACTERIA	30	UFC/stopper	Max.	UNE 56923
	MOLD AND YEAST	10	UFC/stopper	Max.	UNE 56923
<b>PERMEABILITY</b>	O.T.R.	3	μL O <sub>2</sub> /day	-	Oxo-luminiscence
	2,4,6 -TCA,	< L.Q. (*)	ng/L	Individual	UNE 56930
<b>SPME/ GC/ MS ANALYSIS</b>	2,3,4,6 -TeCA, PCA, Guayacol, Geosmina, Octanol, metilisoborneol, 2- isopropil-3metoxipirazina	-	ng/L	< LD	External
<b>SENSORY</b>	SENSORY DESVIATIONS	AQL 0.65. Method: water maceration.			

(\*) LQ: Quantification limit : <0,3 ng/L  
The products used for the manufacturing this product do not contain genetically modified organisms (GMOs) or allergens.

